

L Number	Hits	Search Text	DB	Time stamp
1	5904	((apertures hole orifice) near2 (frame base support)) and ((monitor\$4 test\$4 measur\$4 detect\$4 determin\$4 sens\$4 estimat\$4) near4 (load\$4 forc\$4 flex\$4 bend\$4 weigh\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 15:29
2	185	((pair\$4 several many multiple) near3 (apertures hole orifice) near2 (frame base support)) and ((monitor\$4 test\$4 measur\$4 detect\$4 determin\$4 sens\$4 estimat\$4) near4 (load\$4 forc\$4 flex\$4 bend\$4 weigh\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 15:29
3	22	((pair\$4 several many multiple) near3 (apertures hole orifice) near2 (frame base support)) and ((monitor\$4 test\$4 measur\$4 detect\$4 determin\$4 sens\$4 estimat\$4) near4 (load\$4 forc\$4 flex\$4 bend\$4 weigh\$3))) and 73/\$6.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 15:30
-	374	73/849.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:31
-	24	("3898873" "4594900" "4789947" "5345826" "5386442" "5448918" "5699274" "5913246" "6042315" "6053052" "6216531" "6263636").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 14:05
-	2414	((saddle seat support bracket) near4 (specimen sample object) near6 (beam bar block))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:07
-	108	((rotat\$4 pivot\$4) near3 (saddle seat support bracket) near4 (specimen sample object) near6 (beam bar block))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:19
-	67	((rotat\$4 pivot\$4) near3 (saddle seat clamp\$4 grip\$4 bracket) near4 (specimen sample object) near6 (beam bar block))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:21
-	100	((rotat\$4 pivot\$4) near3 (saddle seat clamp\$4 grip\$4 bracket) near4 (specimen sample object) near6 (beam bar block platform))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:37
-	96	73/852.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:31
-	288	73/856.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:32
-	55	73/853.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:33

-	105	73/855.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:33
-	1942	((rotat\$4 pivot\$4) near3 (saddle seat clamp\$4 grip\$4 bracket)) and 73/\$6.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:39
-	475	((rotat\$4 pivot\$4) near3 (saddle seat clamp\$4 grip\$4 bracket)) and 73/\$6.ccls.) and ((saddle seat clamp\$4 grip\$4 bracket) near6 (beam bar block platform))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:38
-	443	((rotat\$4 pivot\$4) near3 (saddle seat clamp\$4 grip\$4 bracket)) and 73/\$6.ccls.) and ((saddle clamp\$4 grip\$4 bracket) near6 (beam bar block platform))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/11 13:52
-	1054	((rotat\$4 pivot\$4) near3 (saddle u?shaped v?shaped) near4 (seat clamp\$4 hold\$4 grip\$4 support\$4 bracket)) and ((saddle clamp\$4 grip\$4 bracket) near6 (beam bar block platform))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/11 14:07
-	53	((rotat\$4 pivot\$4) near3 (saddle u?shaped v?shaped) near4 (seat clamp\$4 hold\$4 grip\$4 support\$4 bracket)) and ((saddle clamp\$4 grip\$4 bracket) near6 (beam bar block platform))) and ((monitor\$4 test\$4 measur\$4 detect\$4 determin\$4 estimat\$4) near4 (load\$4 forc\$4 flex\$4 bend\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/11 13:54
-	67	((rotat\$4 pivot\$4) near3 (saddle u?shaped v?shaped) near4 (seat clamp\$4 hold\$4 grip\$4 support\$4 bracket)) and ((saddle clamp\$4 grip\$4 bracket) near6 (beam bar block platform))) and ((monitor\$4 test\$4 measur\$4 detect\$4 determin\$4 sens\$4 estimat\$4) near4 (load\$4 forc\$4 flex\$4 bend\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/11 14:18
-	0	((rotat\$4 pivot\$4) near3 (saddle u?shaped v?shaped) near4 (seat clamp\$4 hold\$4 grip\$4 support\$4 bracket)) and ((saddle clamp\$4 grip\$4 bracket) near6 (beam bar block platform))) and ((monitor\$4 test\$4 measur\$4 detect\$4 determin\$4 sens\$4 estimat\$4) near4 pressure)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/11 14:03
-	32	((rotat\$4 pivot\$4) near3 (saddle u?shaped v?shaped) near4 (seat clamp\$4 hold\$4 grip\$4 support\$4 bracket)) and ((saddle clamp\$4 grip\$4 bracket) near6 (beam bar block platform))) and ((monitor\$4 test\$4 measur\$4 detect\$4 determin\$4 sens\$4 estimat\$4) near4 weigh\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/11 14:03
-	32	5279006.URPN.	USPAT	2004/09/11 14:10
-	230	((rotat\$4 pivot\$4) near3 (saddle u?shaped v?shaped) near4 (seat clamp\$4 hold\$4 grip\$4 support\$4 bracket)) and ((saddle clamp\$4 grip\$4 bracket) near6 (beam bar block base platform))) .clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/11 14:18
-	11	((rotat\$4 pivot\$4) near3 (saddle u?shaped v?shaped) near4 (seat clamp\$4 hold\$4 grip\$4 support\$4 bracket)) and ((saddle clamp\$4 grip\$4 bracket) near6 (beam bar block base platform))) .clm.) and ((monitor\$4 test\$4 measur\$4 detect\$4 determin\$4 sens\$4 estimat\$4) near4 (load\$4 forc\$4 flex\$4 bend\$4 weigh\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 12:06
-	5	("4700077" "4750141" "5489854" "5530374" "5642056").PN.	USPAT	2004/09/11 14:35
-	1	"2299722".PN.	USPAT	2004/09/11 14:41
-	3	2299722.URPN.	USPAT	2004/09/11 14:41

-	669	I?shaped and ((monitor\$4 test\$4 measur\$4 detect\$4 determin\$4 sens\$4 estimat\$4) near4 (load\$4 forc\$4 flex\$4 bend\$4 weigh\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 12:07
-	20	(I?shaped near2 (frame base support)) and ((monitor\$4 test\$4 measur\$4 detect\$4 determin\$4 sens\$4 estimat\$4) near4 (load\$4 forc\$4 flex\$4 bend\$4 weigh\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 15:27